

EVALUATION OF p + 208Pb CROSS SECTIONS FOR THE ENERGY
RANGE 1.0E-11 to 150 MeV

M. B. Chadwick, P. G. Young, and A. J. Koning
21 October 1996

This evaluation provides a complete representation of the nuclear data needed for transport, damage, heating, radioactivity, and shielding applications over the incident neutron energy range from 1.0E-11 to 150 MeV.

The evaluation utilizes MF = 3 [MT=2 and MT=5] and MF=6 [MT=2 and MT=5] to represent all reaction data. Production cross sections and emission spectra are given for neutrons, protons, deuterons, tritons, alpha particles, gamma rays, and all residual nuclides produced with non-negligible cross sections ($A > 5$) in the reaction chains. To summarize, the ENDF sections with non-zero data are:

- MF=3 MT= 2 Integral of nuclear plus interference components of the elastic scattering cross section
- MT= 5 Sum of binary (n,n') and (n,x) reactions
- MF=6 MT= 2 Elastic angular distributions given as ratios of the differential nuclear-plus-interference to the integrated value.
- MT= 5 Production cross sections and energy-angle distributions for emission neutrons, protons, deuterons, and alphas; and angle-integrated spectra for gamma rays and residual nuclei that are stable against particle emission

The evaluation is based on nuclear model calculations that have been benchmarked to experimental data, especially for n + Pb and p + Pb208 reactions (Ch96a). We use the GNASH code system (Yo92), which utilizes Hauser-Feshbach statistical, preequilibrium and direct-reaction theories. Coupled-channel and spherical optical model calculations are used to obtain particle transmission coefficients for the Hauser-Feshbach calculations, as well as for the elastic neutron angular distributions.

Cross sections and spectra for producing individual residual nuclei are included for reactions that exceed a cross section of approximately 1 nb at any energy. The energy-angle-correlations for all outgoing particles are based on Kalbach systematics (Ka88).

A model was developed to calculate the energy distributions of all recoil nuclei in the GNASH calculations (Ch96b). The recoil energy distributions are represented in the laboratory system in MT=5, MF=6, and are given as isotropic in the lab system. Note that all other data in MT=5, MF=6 are given in the center-of-mass system. This method of representation requires a modification of the original ENDF-6 format.

Preequilibrium corrections were performed in the course of the GNASH calculations using the exciton model of Kalbach (Ka77, Ka85), validated by comparison with calculations using Feshbach, Kerman, Koonin (FKK) theory [Ch93]. Discrete level data from nuclear data sheets were matched to continuum level densities

using the formulation of Ignatyuk (Ig75) and pairing and shell parameters from the Cook (Co67) analysis. Neutron and charged-particle transmission coefficients were obtained from the optical potentials, as discussed below. Gamma-ray transmission coefficients were calculated using the Kopecky-Uhl model (Ko90).

MT=2 elastic scattering data in MF=3 and MF=6 are based on optical model calculations with the SCAT2 code (Be92). We have made use of the "nuclear-plus-interference" option in MF=6, which corresponds to LAW=5, LTP=12, and the appropriate integrated cross section is stored in MF=3. Note that because of the interference effect, the tabulations in both MF=6 and MF=3 can be negative at some energies and angles.

REFERENCES

[Be92]. O. Bersillon, "SCAT2 - A Spherical Optical Model Code," in Proc. ICTP Workshop on Computation and Analysis of Nuclear Data Relevant to Nuclear Energy and Safety, 10 February-13 March, 1992, Trieste, Italy, to be published in World Scientific Press, and Progress Report of the Nuclear Physics Division, Bruyeres-le-Chatel 1977, CEA-N-2037, p.111 (1978).

[Ch93]. M.B. Chadwick and P. G. Young, "Feshbach-Kerman-Koonin Analysis of ^{93}Nb Reactions: P \rightarrow Q Transitions and Reduced Importance of Multistep Compound Emission," Phys. Rev. C 47, 2255 (1993).

[Ch96a]. M. B. Chadwick and P. G. Young, "GNASH Calculations of n,p + $^{206,207,208}\text{Pb}$ and Benchmarking of Results" in APT PROGRESS REPORT: 1 July - 1 August 1996, internal Los Alamos National Laboratory memo T-2-96/MS-40, 7 Aug. 1996 from R.E. MacFarlane to L. Waters.

[Ch96b]. M. B. Chadwick, P. G. Young, R. E. MacFarlane, and A. J. Koning, "High-Energy Nuclear Data Libraries for Accelerator-Driven Technologies: Computational Method for Heavy Recoils," Proc. of 2nd Int. Conf. on Accelerator Driven Transmutation Technology and Applications, Kalmar, Sweden, 3-7 June 1996.

[Co67]. J.L. Cook, H. Ferguson, and A.R. Musgrove, "Nuclear Level Densities in Intermediate and Heavy Nuclei," Aust.J.Phys. 20, 477 (1967).

[Ig75]. A.V. Ignatyuk, G.N. Smirenkin, and A.S. Tishin, "Phenomenological Description of the Energy Dependence of the Level Density Parameter," Sov. J. Nucl. Phys. 21, 255 (1975).

[Ka77]. C. Kalbach, "The Griffin Model, Complex Particles and Direct Nuclear Reactions," Z.Phys.A 283, 401 (1977).

[Ka85]. C. Kalbach, "PRECO-D2: Program for Calculating Preequilibrium and Direct Reaction Double Differential Cross Sections," Los Alamos National Laboratory report LA-10248-MS (1985).

[Ka88]. C. Kalbach, "Systematics of Continuum Angular Distributions: Extensions to Higher Energies," Phys.Rev.C 37, 2350 (1988); see also C. Kalbach and F. M. Mann, "Phenomenology

of Continuum Angular Distributions. I. Systematics and Parameterization," Phys.Rev.C 23, 112 (1981).

[Ko90]. J. Kopecky and M. Uhl, "Test of Gamma-Ray Strength Functions in Nuclear Reaction Model Calculations," Phys.Rev.C 42, 1941 (1990).

[Yo92]. P.G. Young, E.D. Arthur, and M.B. Chadwick, "Comprehensive Nuclear Model Calculations: Introduction to the Theory and Use of the GNASH Code," LA-12343-MS (1992).

82208 = TARGET 1000Z+A (if A=0 then elemental)

1001 = PROJECTILE 1000Z+A

Nonelastic, elastic, and Production cross sections for A<5 ejectiles in barns:

Energy	nonelas	elastic	neutron	proton	deuteron	triton	helium3	alpha	gamma
4.000E+00	1.000E-20	0.000E+00	1.000E-20	1.000E-20	0.000E+00	0.000E+00	0.000E+00	1.000E-20	1.000E-20
5.000E+00	5.166E-04	0.000E+00	5.158E-04	2.465E-12	0.000E+00	0.000E+00	0.000E+00	1.284E-08	8.949E-04
6.000E+00	1.524E-03	0.000E+00	1.523E-03	3.953E-10	0.000E+00	0.000E+00	0.000E+00	5.591E-08	3.351E-03
7.000E+00	1.104E-02	0.000E+00	1.103E-02	6.529E-08	0.000E+00	0.000E+00	0.000E+00	3.641E-07	2.642E-02
8.000E+00	3.672E-02	0.000E+00	3.669E-02	9.051E-07	9.421E-09	0.000E+00	0.000E+00	2.424E-06	1.006E-01
9.000E+00	9.410E-02	0.000E+00	9.399E-02	9.304E-06	7.514E-09	1.246E-08	0.000E+00	1.059E-05	2.771E-01
1.000E+01	2.107E-01	0.000E+00	2.104E-01	4.407E-05	1.457E-07	2.011E-08	0.000E+00	3.351E-05	6.537E-01
1.100E+01	3.644E-01	0.000E+00	3.760E-01	2.313E-04	9.218E-07	1.321E-07	0.000E+00	8.482E-05	1.145E+00
1.200E+01	5.192E-01	0.000E+00	7.088E-01	7.670E-04	4.212E-06	4.759E-07	0.000E+00	1.690E-04	1.112E+00
1.300E+01	6.749E-01	0.000E+00	1.134E+00	1.934E-03	3.271E-05	1.912E-06	0.000E+00	2.676E-04	9.686E-01
1.400E+01	8.304E-01	0.000E+00	1.524E+00	4.448E-03	1.717E-04	9.843E-06	0.000E+00	3.901E-04	1.137E+00
1.500E+01	9.732E-01	0.000E+00	1.846E+00	8.542E-03	6.048E-04	4.289E-05	0.000E+00	5.675E-04	1.549E+00
1.600E+01	1.097E+00	0.000E+00	2.101E+00	1.464E-02	1.440E-03	1.367E-04	0.000E+00	8.297E-04	2.101E+00
1.700E+01	1.211E+00	0.000E+00	2.317E+00	2.279E-02	2.814E-03	3.281E-04	0.000E+00	1.197E-03	2.724E+00
1.800E+01	1.312E+00	0.000E+00	2.499E+00	3.278E-02	4.656E-03	6.381E-04	0.000E+00	1.659E-03	3.367E+00
1.900E+01	1.403E+00	0.000E+00	2.657E+00	4.446E-02	6.899E-03	1.052E-03	0.000E+00	2.207E-03	4.014E+00
2.000E+01	1.485E+00	0.000E+00	2.833E+00	6.005E-02	9.353E-03	1.496E-03	0.000E+00	2.799E-03	4.509E+00
2.200E+01	1.619E+00	0.000E+00	3.550E+00	9.015E-02	1.497E-02	2.607E-03	0.000E+00	4.058E-03	4.528E+00
2.400E+01	1.724E+00	0.000E+00	4.216E+00	1.237E-01	2.105E-02	3.780E-03	0.000E+00	5.235E-03	4.450E+00
2.600E+01	1.809E+00	0.000E+00	4.585E+00	1.589E-01	2.708E-02	4.933E-03	0.000E+00	6.365E-03	5.156E+00
2.800E+01	1.881E+00	0.000E+00	4.795E+00	2.049E-01	3.310E-02	5.990E-03	0.000E+00	7.430E-03	6.100E+00
3.000E+01	1.939E+00	0.000E+00	5.094E+00	2.572E-01	3.906E-02	6.927E-03	0.000E+00	8.409E-03	6.464E+00
3.500E+01	2.033E+00	0.000E+00	5.945E+00	4.120E-01	5.298E-02	8.600E-03	0.000E+00	1.035E-02	6.711E+00
4.000E+01	2.081E+00	0.000E+00	6.172E+00	5.836E-01	6.510E-02	9.616E-03	0.000E+00	1.182E-02	8.066E+00
4.500E+01	2.091E+00	0.000E+00	6.634E+00	7.003E-01	7.304E-02	1.021E-02	0.000E+00	1.301E-02	7.999E+00
5.000E+01	2.071E+00	0.000E+00	6.820E+00	8.005E-01	7.918E-02	1.053E-02	0.000E+00	1.394E-02	8.283E+00
5.500E+01	2.023E+00	0.000E+00	6.946E+00	8.774E-01	8.379E-02	1.067E-02	0.000E+00	1.462E-02	8.082E+00
6.000E+01	2.008E+00	0.000E+00	7.168E+00	9.512E-01	8.805E-02	1.074E-02	0.000E+00	1.545E-02	8.286E+00
6.500E+01	1.991E+00	0.000E+00	7.388E+00	1.014E+00	9.153E-02	1.072E-02	0.000E+00	1.625E-02	8.489E+00
7.000E+01	1.973E+00	0.000E+00	7.511E+00	1.070E+00	9.478E-02	1.064E-02	0.000E+00	1.704E-02	7.724E+00
7.500E+01	1.954E+00	0.000E+00	7.689E+00	1.120E+00	9.761E-02	1.056E-02	0.000E+00	1.781E-02	7.829E+00
8.000E+01	1.934E+00	0.000E+00	7.870E+00	1.162E+00	1.000E-01	1.051E-02	0.000E+00	1.860E-02	7.763E+00
8.500E+01	1.911E+00	0.000E+00	8.008E+00	1.200E+00	1.013E-01	1.042E-02	0.000E+00	1.937E-02	7.637E+00
9.000E+01	1.888E+00	0.000E+00	8.127E+00	1.233E+00	1.026E-01	1.032E-02	0.000E+00	2.012E-02	7.605E+00
9.500E+01	1.865E+00	0.000E+00	8.254E+00	1.259E+00	1.034E-01	1.023E-02	0.000E+00	2.103E-02	7.525E+00
1.000E+02	1.842E+00	0.000E+00	8.440E+00	1.271E+00	1.031E-01	1.020E-02	0.000E+00	2.244E-02	7.398E+00
1.100E+02	1.798E+00	0.000E+00	8.784E+00	1.291E+00	1.019E-01	1.033E-02	0.000E+00	2.613E-02	7.317E+00
1.200E+02	1.759E+00	0.000E+00	9.098E+00	1.307E+00	1.002E-01	1.072E-02	0.000E+00	3.101E-02	7.304E+00
1.300E+02	1.728E+00	0.000E+00	9.395E+00	1.324E+00	9.810E-02	1.139E-02	0.000E+00	4.311E-02	7.221E+00
1.400E+02	1.704E+00	0.000E+00	9.694E+00	1.347E+00	9.461E-02	1.231E-02	0.000E+00	7.809E-02	7.193E+00
1.500E+02	1.688E+00	0.000E+00	1.000E+01	1.373E+00	9.256E-02	1.349E-02	0.000E+00	1.069E-01	7.175E+00

82208 = TARGET 1000Z+A (if A=0 then elemental)


1001 = PROJECTILE 1000Z+A

Aver. lab emission energies for A<5 ejectiles in MeV:







Energy	neutron	proton	deuteron	triton	helium3	alpha	gamma
4.000E+00	1.867E-01	5.009E-02	0.000E+00	0.000E+00	0.000E+00	1.031E+01	1.219E+00
5.000E+00	7.598E-01	2.241E+00	0.000E+00	0.000E+00	0.000E+00	1.074E+01	3.665E-01
6.000E+00	1.227E+00	3.237E+00	0.000E+00	0.000E+00	0.000E+00	1.169E+01	5.171E-01
7.000E+00	1.624E+00	4.227E+00	0.000E+00	0.000E+00	0.000E+00	1.264E+01	7.246E-01
8.000E+00	1.831E+00	5.060E+00	2.735E+00	0.000E+00	0.000E+00	1.373E+01	9.227E-01
9.000E+00	1.984E+00	5.607E+00	3.727E+00	3.220E+00	0.000E+00	1.453E+01	1.131E+00
1.000E+01	2.059E+00	6.437E+00	4.594E+00	4.201E+00	0.000E+00	1.479E+01	1.373E+00
1.100E+01	1.940E+00	7.225E+00	5.312E+00	4.856E+00	0.000E+00	1.520E+01	1.616E+00
1.200E+01	1.563E+00	7.818E+00	6.312E+00	5.247E+00	0.000E+00	1.608E+01	1.707E+00
1.300E+01	1.456E+00	8.812E+00	7.308E+00	6.285E+00	0.000E+00	1.708E+01	1.509E+00
1.400E+01	1.529E+00	9.760E+00	8.224E+00	7.270E+00	0.000E+00	1.786E+01	1.228E+00
1.500E+01	1.651E+00	1.056E+01	9.073E+00	8.102E+00	0.000E+00	1.849E+01	1.169E+00
1.600E+01	1.778E+00	1.123E+01	9.857E+00	8.813E+00	0.000E+00	1.906E+01	1.242E+00
1.700E+01	1.882E+00	1.188E+01	1.063E+01	9.456E+00	0.000E+00	1.957E+01	1.339E+00
1.800E+01	1.969E+00	1.252E+01	1.131E+01	1.009E+01	0.000E+00	2.004E+01	1.459E+00
1.900E+01	2.031E+00	1.313E+01	1.203E+01	1.073E+01	0.000E+00	2.048E+01	1.591E+00
2.000E+01	2.046E+00	1.375E+01	1.264E+01	1.134E+01	0.000E+00	2.086E+01	1.639E+00
2.200E+01	1.943E+00	1.487E+01	1.404E+01	1.247E+01	0.000E+00	2.185E+01	1.428E+00
2.400E+01	2.004E+00	1.596E+01	1.540E+01	1.354E+01	0.000E+00	2.289E+01	1.115E+00
2.600E+01	2.144E+00	1.682E+01	1.673E+01	1.457E+01	0.000E+00	2.382E+01	1.093E+00
2.800E+01	2.290E+00	1.771E+01	1.803E+01	1.557E+01	0.000E+00	2.466E+01	1.225E+00
3.000E+01	2.384E+00	1.856E+01	1.932E+01	1.657E+01	0.000E+00	2.548E+01	1.296E+00
3.500E+01	2.654E+00	2.077E+01	2.252E+01	1.887E+01	0.000E+00	2.756E+01	1.147E+00
4.000E+01	3.101E+00	2.309E+01	2.575E+01	2.112E+01	0.000E+00	2.944E+01	1.203E+00
4.500E+01	3.357E+00	2.546E+01	2.896E+01	2.336E+01	0.000E+00	3.113E+01	1.145E+00

5.000E+01	3.662E+00	2.786E+01	3.213E+01	2.557E+01	0.000E+00	3.268E+01	1.147E+00
5.500E+01	3.927E+00	3.024E+01	3.525E+01	2.775E+01	0.000E+00	3.410E+01	1.156E+00
6.000E+01	4.188E+00	3.242E+01	3.830E+01	2.984E+01	0.000E+00	3.530E+01	1.149E+00
6.500E+01	4.436E+00	3.447E+01	4.132E+01	3.185E+01	0.000E+00	3.632E+01	1.136E+00
7.000E+01	4.714E+00	3.663E+01	4.441E+01	3.373E+01	0.000E+00	3.711E+01	1.262E+00
7.500E+01	4.957E+00	3.862E+01	4.750E+01	3.554E+01	0.000E+00	3.772E+01	1.260E+00
8.000E+01	5.192E+00	4.046E+01	5.048E+01	3.727E+01	0.000E+00	3.817E+01	1.254E+00
8.500E+01	5.418E+00	4.245E+01	5.334E+01	3.889E+01	0.000E+00	3.838E+01	1.253E+00
9.000E+01	5.641E+00	4.443E+01	5.630E+01	4.039E+01	0.000E+00	3.846E+01	1.257E+00
9.500E+01	5.845E+00	4.641E+01	5.924E+01	4.168E+01	0.000E+00	3.825E+01	1.262E+00
1.000E+02	5.988E+00	4.836E+01	6.210E+01	4.238E+01	0.000E+00	3.746E+01	1.270E+00
1.100E+02	6.273E+00	5.217E+01	6.769E+01	4.280E+01	0.000E+00	3.544E+01	1.280E+00
1.200E+02	6.563E+00	5.603E+01	7.299E+01	4.203E+01	0.000E+00	3.315E+01	1.269E+00
1.300E+02	6.860E+00	5.982E+01	7.796E+01	4.031E+01	0.000E+00	2.765E+01	1.270E+00
1.400E+02	7.167E+00	6.348E+01	8.196E+01	3.802E+01	0.000E+00	1.935E+01	1.272E+00
1.500E+02	7.474E+00	6.705E+01	8.636E+01	3.549E+01	0.000E+00	1.697E+01	1.274E+00






$p + {}^{208}\text{Pb}$ nonelastic and production cross sections




$p + {}^{208}\text{Pb}$ angle-integrated emission spectra




$p + {}^{208}\text{Pb}$ Kalbach preequilibrium ratios



74-PB-208 APT LA150 NJOY 97.45X MCNPX
angular distribution for elastic



74-PB-208 APT LA150 NJOY 97.45X MCNPX
angular distribution for elastic



74-PB-208 APT LA150 NJOY 97.45X MCNPX

Heating

